

Luminaire

Code CM12NW 15DEG
Name XCOMBO CM12

Measur.

Code CM12NW 15DEG
Name XCOMBO CM12

Luminaire Flux	789.11 lm	Luminaire Power	8.90 W	Efficacy	88.66 lm/W	Efficiency	99.94%
Lamps Flux	789.56 lm	Maximum value	4741.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	50 mm 50 mm	Height Height	5 mm 5 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.001963 m2 0.000250 m2 0.000250 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.000250 m2 0.000250 m2 0.000718 m2	
Coordinate system Date Measurement Distance		CG 19-03-2020 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 90 752.00 lm	
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell			

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		CM12NW 15DEG		Name XCOMBO12		789.56	8.90	1
C.I.E.	94 98 100 100 100			D DIN 5040	A60			
F UTE	1.00 A			B NBN	BZ 1			

