

Luminaire

Code SM02NW
Name XSMOOTH

Measur.

Code SM02NW
Name XSMOOTH

Luminaire Flux	1695.22 lm	Luminaire Power	20.00 W	Efficacy	84.76 lm/W	Efficiency	99.95%
Lamps Flux	1696.00 lm	Maximum value	394.75 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	200 mm	Width	100 mm	Height	10 mm
Rectangular Luminous Area		Length	200 mm	Width	100 mm	Height	10 mm
Horizontal Luminous Area		0.020000 m2		Emitting area on Plane 180°		0.002000 m2	
Emitting area on Plane 0°		0.002000 m2		Emitting area on Plane 270°		0.001000 m2	
Emitting area on Plane 90°		0.001000 m2		Glare area at 76°		0.006779 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		16-07-2020		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		1696.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line	Luminaire Lamps					
	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
	SM02NW	XSMOOTH	1696.00	20.00	1	
C.I.E.	50 82 97 100 100					D DIN 5040
F UTE	1.00 E					B NBN
						A30
						BZ 4

