






Code	Type of LED	Power P(W)	Input voltage	Input frequency fin(Hz)	LED flux (lm)	System flux (lm)	Color temperature of LED	Weight (kg)	Energy efficiency class
MU01WW MWH/S/BK/SGD	CITIZEN COB LED	1x9W	220-240V	50/60Hz	1352 lm	834 lm	3000K	0,31	D
MU01NW MWH/S/BK/SGD	CITIZEN COB LED	1x9W	220-240V	50/60Hz	1394 lm	876 lm	4000K	0,31	C
MU02WW MWH/S/BK/SGD	CITIZEN COB LED	1x13W	220-240V	50/60Hz	1760 lm	1237 lm	3000K	0,38	D
MU02NW MWH/S/BK/SGD	CITIZEN COB LED	1x13W	220-240V	50/60Hz	1880 lm	1274 lm	4000K	0,38	D

The light source of this luminaire is not replaceable. When the light source reaches its end of life, the whole luminaire shall be replaced.







Standards: EN 60598-1:2008 + A11:2009, EN 60598-2-4:1997, EN 60529:1992, EN 62031:2008 + A1:2013, EN 62493:2010, EN 62471:2008, EN 55015:2006 + A1:2007 + A2:2009, EN 61000-3-2:2006 + A1:2009 + A2:2009, N 61000-3-3:2008, EN 61547:2009.

Importator: Arelux S.R.L., str. Al. Tolstoi, nr. 12, Bacău - 600093, ROMANIA. Tel: +40 0234 514 492 / 546 620. Fax: +40 0234 546 677.



OPEN SIZE 420x297mm

CLOSED SIZE 105x148,5mm



PRINT: 1 color (black) front and back side